



DECUS

PROGRAM LIBRARY

DECUS NO.	8-563
TITLE	TAPE
AUTHOR	Russell Lyons
COMPANY	8 Gould Road Lexington, Massachusetts
DATE	July 1, 1972
SOURCE LANGUAGE	PAL-D

DEC 12

PROGRAM LIBRARY



1970

1971

1972

1973

TAPE

This program will punch readable characters 8 holes high and proportional in width on paper tape using the low speed punch. TAPE can punch all characters from 240 to 337 (ASCII). Leader and trailer tape is punched at the beginning and at the end. It can punch from 0 to 409.5 inches.

The starting address of TAPE is 0. The program will first ask if you want instructions. Type "Y" for "yes," any other character for "no." If you want 20.3 inches of leader tape, reply "203" to the question, "HOW MANY 1/10 THS OF INCHES OF LEADER TAPE DO YOU WANT?" After asking how much trailer tape you want (reply the same way), it will print, "TYPE IN YOUR MESSAGE." This can be of any length from 0 to 2047 characters long. So that you can read everything you type, a carriage return/line feed will automatically be printed at the end of every line. When you're finished, hit the RETURN key and turn on the LSP. Hit any key and the punching will begin. When it finishes punching the trailer tape, if any, turn off the LSP. Hit any key again and you will be able to type a new message. RUBOUT will cause a backslash to be typed and the previous character to be deleted. If, after typing a full line and a carriage return/line feed has been printed, you want to delete a (some) character(s), RUBOUT will work exactly as if it was just one line. If the RUBOUT key is struck and you haven't typed anything or have deleted everything, nothing will be typed and it won't affect anything. CTRL/C will restart the program. Typing more than 2047 characters (excluding the RETURN at the end) will cause part of TAPE to be destroyed. The only way to stop the program is to type CTRL/B.

1777

The first of the year was a very dry one, and the weather was very hot. The crops were very poor, and the people were very poor. The government was very weak, and the people were very poor.

The second of the year was a very dry one, and the weather was very hot. The crops were very poor, and the people were very poor. The government was very weak, and the people were very poor.

The third of the year was a very dry one, and the weather was very hot. The crops were very poor, and the people were very poor. The government was very weak, and the people were very poor.

The fourth of the year was a very dry one, and the weather was very hot. The crops were very poor, and the people were very poor. The government was very weak, and the people were very poor.

/"TAPE" BY RUSSELL LYONS. PUNCHES READABLE CHARACTERS
/ON PAPER TAPE USING THE LSP.

UND=6403

SRA=6417

*20

0020	0000	TYPE,	0
0021	6046		TLS
0022	7200		CLA
0023	5420		JMP I TYPE
0024	0000	CRLF,	0
0025	1177		TAD (215
0026	4020		JMS TYPE
0027	1176		TAD (212
0030	4020		JMS TYPE
0031	5424		JMP I CRLF
0032	0000	INSTR,	0
0033	0000		0
0034	4000	KSTORE,	4000
0035	0000	STORE,	0
0036	0000	ACCEPT,	0
0037	1175		TAD (-110
0040	3126		DCA RETURN
0041	6036		KRB
0042	3435		DCA I STORE
0043	1435		TAD I STORE
0044	1174		TAD (-377
0045	7650		SNA CLA
0046	5062		JMP RUBOUT
0047	1435		TAD I STORE
0050	2035		ISZ STORE
0051	1173		TAD (-215
0052	7650		SNA CLA
0053	5436		JMP I ACCEPT
0054	2126		ISZ RETURN
0055	5041		JMP ACCEPT+3
0056	4024		JMS CRLF
0057	1175		TAD (-110
0060	3126		DCA RETURN
0061	5041		JMP ACCEPT+3
0062	1034	RUBOUT,	TAD KSTORE
0063	7041		CIA
0064	1035		TAD STORE
0065	7650		SNA CLA
0066	5041		JMP ACCEPT+3
0067	7040		CMA
0070	1035		TAD STORE
0071	3035		DCA STORE
0072	1172		TAD ("
0073	4020		JMS TYPE
0074	5054		JMP RUBOUT-6
0075	0000	NUMBER,	0
0076	3124		DCA KNUM
0077	4002		JMS CHECK
0100	1435		TAD I STORE
0101	0171		AND (17

0102	7100	CLL
0103	1124	TAD KNUM
0104	7430	SZL
0105	5132	JMP MAX
0106	3124	DCA KNUM
0107	2035	ISZ STORE
0110	4002	JMS CHECK
0111	1124	TAD KNUM
0112	1170	TAD (-632
0113	7700	SMA CLA
0114	5132	JMP MAX
0115	1124	TAD KNUM
0116	7104	CLL RAL
0117	7006	RTL
0120	1124	TAD KNUM
0121	1124	TAD KNUM
0122	3124	DCA KNUM
0123	5100	JMP NUMBER+3
0124	0000	KNUM, 0
0125	0000	KJ, 0
0126	0000	RETURN, 0
0127	0000	PLACE, 0
0130	4020	FINISH, JMS TYPE
0131	5527	JMP I .-2
0132	7240	MAX, STA
0133	3124	DCA KNUM
0134	2035	ISZ STORE
0135	1435	TAD I STORE
0136	1173	TAD (-215
0137	7640	SZA CLA
0140	5134	JMP .-4
0141	5007	JMP CHECK+5
*0		
0000	5401	JMP I .+1
0001	2400	2400
0002	0000	CHECK, 0
0003	1435	TAD I STORE
0004	1173	TAD (-215
0005	7640	SZA CLA
0006	5402	JMP I CHECK
0007	2035	ISZ STORE
0010	5475	JMP I NUMBER
0011	0000	TEMP, 0
*200		
0200	7200	CLA
0201	4024	JMS CRLF
0202	4024	JMS CRLF
0203	6402	DUP
0204	1167	START, TAD [QUES-YES
0205	3032	DCA INSTR
0206	1166	TAD [QUES-1
0207	3033	DCA INSTR+1
0210	4024	JMS CRLF
0211	4024	JMS CRLF
0212	4024	JMS CRLF
0213	1165	TAD [INSTR

0214	6040	SAS
0215	5213	JMP .-2
0216	6036	KRB
0217	1164	TAD [-"Y
0220	7640	SZA CLA
0221	5233	JMP NO
0222	1163	TAD [YES-QUES2
0223	3032	DCA INSTR
0224	1162	TAD [YES-1
0225	3033	DCA INSTR+1
0226	4024	JMS CRLF
0227	1165	TAD [INSTR
0230	6040	SAS
0231	5227	JMP .-2
0232	4024	JMS CRLF
0233	4024	JMS CRLF
0234	1034	TAD KSTORE
0235	3035	DCA STORE
0236	1161	TAD [QUES2-QUES3
0237	3032	DCA INSTR
0240	1160	TAD [QUES2-1
0241	3033	DCA INSTR+1
0242	1165	TAD [INSTR
0243	6040	SAS
0244	5242	JMP .-2
0245	4036	JMS ACCEPT
0246	4024	JMS CRLF
0247	1157	TAD [QUES2-STOP1
0250	3032	DCA INSTR
0251	1160	TAD [QUES2-1
0252	3033	DCA INSTR+1
0253	1165	TAD [INSTR
0254	6040	SAS
0255	5253	JMP .-2
0256	1156	TAD [QUES3-QUES4
0257	3032	DCA INSTR
0260	1155	TAD [QUES3-1
0261	3033	DCA INSTR+1
0262	1165	TAD [INSTR
0263	6040	SAS
0264	5262	JMP .-2
0265	1154	TAD [STOP2-QUES3
0266	3032	DCA INSTR
0267	1153	TAD [STOP2-1
0270	3033	DCA INSTR+1
0271	1165	TAD [INSTR
0272	6040	SAS
0273	5271	JMP .-2
0274	4036	JMS ACCEPT
0275	1034	TAD KSTORE
0276	3035	DCA STORE
0277	4075	JMS NUMBER
0300	1124	TAD KNUM
0301	7040	CMA
0302	3125	DCA KJ
0303	4075	JMS NUMBER

NO,

0304	4024	JMS CRLF
0305	4024	JMS CRLF
0306	4024	JMS CRLF
0307	4024	JMS CRLF
0310	1152	TAD [QUES4-FND
0311	3032	DCA INSTR
0312	1151	TAD [QUES4-1
0313	3033	DCA INSTR+1
0314	1165	TAD [INSTR
0315	6040	SAS
0316	5314	JMP .-2
0317	4024	JMS CRLF
0320	4024	JMS CRLF
0321	1034	TAD KSTORE
0322	3035	DCA STORE
0323	4036	JMS ACCEPT
0324	4024	JMS CRLF
0325	4024	JMS CRLF
0326	6403	UND
0327	6036	KRB
0330	7200	CLA
0331	2125	ISZ KJ
0332	7410	SKP
0333	5336	JMP .+3
0334	6046	TLS
0335	5331	JMP .-4
0336	1034	TAD KSTORE
0337	3035	DCA STORE
0340	1435	NTDONE, TAD I STORE
0341	1173	TAD [-215
0342	7650	SNA CLA
0343	5364	JMP DONE+3
0344	1435	TAD I STORE
0345	1150	TAD [-240
0346	7710	SPA CLA
0347	5362	JMP DONE+1
0350	1435	TAD I STORE
0351	1147	TAD [-337
0352	7740	SMA SZA CLA
0353	5362	JMP DONE+1
0354	1435	TAD I STORE
0355	1146	TAD [200
0356	3127	DCA PLACE
0357	5760	JMP I .+1
0360	2407	PUNCH
0361	6046	DONE, TLS
0362	2035	IS7 STORE
0363	5340	JMP NTDONE
0364	1124	TAD KNUM
0365	7040	CMA
0366	3124	DCA KNUM
0367	2124	IS7 KNUM
0370	7410	SKP
0371	5374	JMP .+3
0372	6046	TLS
0373	5367	JMP .-4

0374	6036	KRB
0375	7200	CLA
0376	6402	DUP
0377	5232	JMP NO-1
*2400		
2400	7200	CLA
2401	1145	TAD I START-1
2402	6417	SRA
2403	1144	TAD I 4000
2404	6400	KSR
2405	5606	JMP I .+1
2406	0203	START-1
2407	7040	PUNCH, CMA
2410	1527	TAD I PLACE
2411	3011	DCA TEMP
2412	1411	TAD I TEMP
2413	3222	DCA COUNTR
2414	2222	ISZ COUNTR
2415	7410	SKP
2416	5623	JMP I IDONE
2417	1411	TAD I TEMP
2420	4020	JMS TYPE
2421	5214	JMP .-5
2422	0000	COUNTR, 0
2423	0361	IDONE, DONE
*440		
0440	0600	SPACE
0441	0602	EXCLAM
0442	0604	DQUOTE
0443	0607	NOSIGN
0444	0620	DOLLAR
0445	0626	PERCNT
0446	0635	AMPRSD
0447	0645	SQUOTE
0450	0647	OPAREN
0451	0654	CPAREN
0452	0661	ASTRSK
0453	0667	PLUS
0454	0675	COMMA
0455	0700	MINUS
0456	0705	PERIOD
0457	0707	SLASH
0460	1174	0
0461	0716	K1
0462	0724	K2
0463	0732	K3
0464	0740	K4
0465	0746	K5
0466	0754	K6
0467	0762	K7
0470	0770	K8
0471	0776	K9
0472	1004	COLON
0473	1006	SCOLON
0474	1011	LESS
0475	1016	EQUALS

0476	1024	MORE
0477	1031	QUESTN
0500	1037	ATSIGN
0501	1051	A
0502	1056	B
0503	1064	C
0504	1072	D
0505	1100	E
0506	1106	F
0507	1114	G
0510	1122	H
0511	1130	KI
0512	1136	J
0513	1144	K
0514	1152	L
0515	1160	M
0516	1166	N
0517	1174	O
0520	1202	P
0521	1210	Q
0522	1216	R
0523	1224	S
0524	1232	T
0525	1240	U
0526	1246	V
0527	1254	W
0530	1262	X
0531	1270	Y
0532	1276	KZ
0533	1304	OBRACK
0534	1311	BSLASH
0535	1320	CBRACK
0536	1325	UARROW
0537	1333	BARROW

		*600
0600	7776	SPACE, -2;
0601	0000	0
0602	7776	EXCLAM, -2;
0603	0237	237
0604	7775	QUOTE, -3;
0605	0007	7;
0606	0007	7
0607	7767	NOSIGN, -11;
0610	0064	64;
0611	0024	24;
0612	0034	34;
0613	0064	64;
0614	0026	26;
0615	0034	34;
0616	0024	24;
0617	0026	26
0620	7772	DOLLAR, -6;
0621	0106	106;
0622	0211	211;
0623	0377	377;
0624	0211	211;

0625	0162	162
0626	7771	PERCENT, -7;
0627	0307	307;
0630	0045	45;
0631	0027	27;
0632	0350	350;
0633	0244	244;
0634	0343	343
0635	7770	AMPRSD, -10;
0636	0142	142;
0637	0225	225;
0640	0211	211;
0641	0226	226;
0642	0140	140;
0643	0140	140;
0644	0220	220
0645	7776	SQUOTE, -2;
0646	0007	7
0647	7773	OPAREN, -5;
0650	0074	74;
0651	0102	102;
0652	0201	201;
0653	0201	201
0654	7773	CPAREN, -5;
0655	0201	201;
0656	0201	201;
0657	0102	102;
0660	0074	74
0661	7772	ASTRSK, -6;
0662	0052	52;
0663	0034	34;
0664	0010	10;
0665	0034	34;
0666	0052	52
0667	7772	PLUS, -6;
0670	0010	10;
0671	0010	10;
0672	0076	76;
0673	0010	10;
0674	0010	10
0675	7775	COMMA, -3;
0676	0200	200;
0677	0140	140
0700	7773	MINUS, -5;
0701	0010	10;
0702	0010	10;
0703	0010	10;
0704	0010	10
0705	7776	PERIOD, -2;
0706	0200	200
0707	7771	SLASH, -7;
0710	0300	300;
0711	0040	40;
0712	0020	20;
0713	0010	10;
0714	0004	4;

0715	0003	3	
0716	7772	K1,	-6:
0717	0204	204:	
0720	0202	202:	
0721	0377	377:	
0722	0200	200:	
0723	0200	200	
0724	7772	K2,	-6:
0725	0302	302:	
0726	0241	241:	
0727	0221	221:	
0730	0211	211:	
0731	0206	206	
0732	7772	K3,	-6:
0733	0102	102:	
0734	0211	211:	
0735	0211	211:	
0736	0211	211:	
0737	0166	166	
0740	7772	K4,	-6:
0741	0017	17:	
0742	0010	10:	
0743	0010	10:	
0744	0010	10:	
0745	0377	377	
0746	7772	K5,	-6:
0747	0117	117:	
0750	0211	211:	
0751	0211	211:	
0752	0211	211:	
0753	0161	161	
0754	7772	K6,	-6:
0755	0176	176:	
0756	0221	221:	
0757	0221	221:	
0760	0221	221:	
0761	0142	142	
0762	7772	K7,	-6:
0763	0003	3:	
0764	0341	341:	
0765	0021	21:	
0766	0011	11:	
0767	0007	7	
0770	7772	K8,	-6:
0771	0166	166:	
0772	0211	211:	
0773	0211	211:	
0774	0211	211:	
0775	0166	166	
0776	7772	K9,	-6:
0777	0006	6:	
1000	0011	11:	
1001	0011	11:	
1002	0011	11:	
1003	0376	376	
1004	7776	COLON,	-2:

1005	0024	24	
1006	7775	SCOLON, -3;	
1007	0200	200;	
1010	0150	150	
1011	7773	LFSS, -5;	
1012	0020	20;	
1013	0050	50;	
1014	0104	104;	
1015	0202	202	
1016	7772	EQUALS, -6;	
1017	0024	24;	
1020	0024	24;	
1021	0024	24;	
1022	0024	24;	
1023	0024	24	
1024	7773	MORE, -5;	
1025	0202	202;	
1026	0104	104;	
1027	0050	50;	
1030	0020	20	
1031	7772	QUESTN, -6;	
1032	0006	6;	
1033	0001	1;	
1034	0261	261;	
1035	0011	11;	
1036	0006	6	
1037	7766	ATSIGN, -12;	
1040	0074	74;	
1041	0102	102;	
1042	0231	231;	
1043	0245	245;	
1044	0245	245;	
1045	0275	275;	
1046	0221	221;	
1047	0111	111;	
1050	0046	46	
1051	7773	A, -5;	
1052	0376	376;	
1053	0011	11;	
1054	0011	11;	
1055	0376	376	
1056	7772	B, -6;	
1057	0377	377;	
1060	0211	211;	
1061	0211	211;	
1062	0211	211;	
1063	0166	166	
1064	7772	C, -6;	
1065	0176	176;	
1066	0201	201;	
1067	0201	201;	
1070	0201	201;	
1071	0102	102	
1072	7772	D, -6;	
1073	0377	377;	
1074	0201	201;	

1075	0201	201;	
1076	0102	102;	
1077	0074	74	
1100	7772	E,	-6;
1101	0377	377;	
1102	0211	211;	
1103	0211	211;	
1104	0211	211;	
1105	0201	201	
1106	7772	F,	-6;
1107	0377	377;	
1110	0011	11;	
1111	0011	11;	
1112	0011	11;	
1113	0001	1	
1114	7772	G,	-6;
1115	0176	176;	
1116	0201	201;	
1117	0221	221;	
1120	0221	221;	
1121	0362	362	
1122	7772	H,	-6;
1123	0377	377;	
1124	0010	10;	
1125	0010	10;	
1126	0010	10;	
1127	0377	377	
1130	7772	KI,	-6;
1131	0201	201;	
1132	0201	201;	
1133	0377	377;	
1134	0201	201;	
1135	0201	201	
1136	7772	J,	-6;
1137	0301	301;	
1140	0201	201;	
1141	0377	377;	
1142	0001	1;	
1143	0001	1	
1144	7772	K,	-6;
1145	0377	377;	
1146	0030	30;	
1147	0044	44;	
1150	0102	102;	
1151	0201	201	
1152	7772	L,	-6;
1153	0377	377;	
1154	0200	200;	
1155	0200	200;	
1156	0200	200;	
1157	0200	200	
1160	7772	M,	-6;
1161	0377	377;	
1162	0002	2;	
1163	0004	4;	
1164	0002	2;	

1165	0377	377	
1166	7772	N,	-6;
1167	0377	377;	
1170	0002	2;	
1171	0074	74;	
1172	0100	100;	
1173	0377	377	
1174	7772	0,	-6;
1175	0176	176;	
1176	0201	201;	
1177	0201	201;	
1200	0201	201;	
1201	0176	176	
1202	7772	P,	-6;
1203	0377	377;	
1204	0011	11;	
1205	0011	11;	
1206	0011	11;	
1207	0006	6	
1210	7772	Q,	-6;
1211	0176	176;	
1212	0201	201;	
1213	0241	241;	
1214	0301	301;	
1215	0276	276	
1216	7772	P,	-6;
1217	0377	377;	
1220	0011	11;	
1221	0031	31;	
1222	0051	51;	
1223	0306	306	
1224	7772	S,	-6;
1225	0106	106;	
1226	0211	211;	
1227	0211	211;	
1230	0211	211;	
1231	0162	162	
1232	7772	T,	-6;
1233	0001	1;	
1234	0001	1;	
1235	0377	377;	
1236	0001	1;	
1237	0001	1	
1240	7772	U,	-6;
1241	0377	377;	
1242	0200	200;	
1243	0200	200;	
1244	0200	200;	
1245	0377	377	
1246	7772	V,	-6;
1247	0077	77;	
1250	0100	100;	
1251	0200	200;	
1252	0100	100;	
1253	0077	77	
1254	7772	W,	-6;

1255	0377	377;	
1256	0100	100;	
1257	0040	40;	
1260	0100	100;	
1261	0377	377	
1262	7772	X,	-6;
1263	0201	201;	
1264	0146	146;	
1265	0030	30;	
1266	0146	146;	
1267	0201	201	
1270	7772	Y,	-6;
1271	0001	1;	
1272	0002	2;	
1273	0374	374;	
1274	0002	2;	
1275	0001	1	
1276	7772	KZ,	-6;
1277	0301	301;	
1300	0241	241;	
1301	0231	231;	
1302	0205	205;	
1303	0203	203	
1304	7773	OBRACK,	-5;
1305	0377	377;	
1306	0201	201;	
1307	0201	201;	
1310	0201	201	
1311	7771	BSLASH,	-7;
1312	0003	3;	
1313	0004	4;	
1314	0010	10;	
1315	0020	20;	
1316	0040	40;	
1317	0300	300	
1320	7773	CBRACK,	-5;
1321	0201	201;	
1322	0201	201;	
1323	0201	201;	
1324	0377	377	
1325	7772	UARROW,	-6;
1326	0004	4;	
1327	0002	2;	
1330	0377	377;	
1331	0002	2;	
1332	0004	4	
1333	7767	BARROW,	-11;
1334	0020	20;	
1335	0070	70;	
1336	0124	124;	
1337	0020	20;	
1340	0020	20;	
1341	0020	20;	
1342	0020	20;	
1343	0020	20	
1344	0304	QUES,	"D.

1345	0317	"O
1346	0240	240
1347	0331	"Y
1350	0317	"O
1351	0325	"U
1352	0240	240
1353	0327	"W
1354	0301	"A
1355	0316	"N
1356	0324	"T
1357	0240	240
1360	0311	"I
1361	0316	"N
1362	0323	"S
1363	0324	"T
1364	0322	"R
1365	0325	"U
1366	0303	"C
1367	0324	"T
1370	0311	"I
1371	0317	"O
1372	0316	"N
1373	0323	"S
1374	0277	"?
1375	0240	240
1376	0324	"T
1377	0310	"H
1400	0311	"I
1401	0323	"S
1402	0240	240
1403	0320	"P
1404	0322	"R
1405	0317	"O
1406	0307	"G
1407	0322	"R
1410	0301	"A
1411	0315	"M
1412	0240	240
1413	0327	"W
1414	0311	"I
1415	0314	"L
1416	0314	"L
1417	0240	240
1420	0320	"P
1421	0325	"U
1422	0316	"N
1423	0303	"C
1424	0310	"H
1425	0240	240
1426	0322	"R
1427	0305	"E
1430	0301	"A
1431	0304	"D
1432	0301	"A
1433	0302	"B
1434	0314	"L

YES,

1435	0305	"F
1436	0240	240
1437	0303	"C
1440	0310	"H
1441	0301	"A
1442	0322	"R
1443	0301	"A
1444	0303	"C
1445	0324	"T
1446	0305	"E
1447	0322	"R
1450	0323	"S
1451	0240	240
1452	0317	"O
1453	0316	"N
1454	0240	240
1455	0320	"P
1456	0301	"A
1457	0320	"P
1460	0305	"F
1461	0322	"R
1462	0240	240
1463	0324	"T
1464	0301	"A
1465	0320	"P
1466	0305	"E
1467	0256	".
1470	0215	215
1471	0212	212
1472	0327	"W
1473	0310	"H
1474	0305	"F
1475	0316	"N
1476	0240	240
1477	0322	"R
1500	0305	"F
1501	0321	"C
1502	0325	"U
1503	0305	"F
1504	0323	"S
1505	0324	"T
1506	0305	"F
1507	0304	"D
1510	0240	240
1511	0324	"T
1512	0317	"O
1513	0254	".
1514	0240	240
1515	0324	"T
1516	0331	"Y
1517	0320	"P
1520	0305	"F
1521	0240	240
1522	0331	"Y
1523	0317	"O
1524	0325	"U

1525	0322	"R
1526	0240	240
1527	0315	"M
1530	0305	"F
1531	0323	"S
1532	0323	"S
1533	0301	"A
1534	0307	"G
1535	0305	"F
1536	0256	".
1537	0240	240
1540	0310	"H
1541	0311	"I
1542	0324	"T
1543	0240	240
1544	0324	"T
1545	0310	"H
1546	0305	"F
1547	0240	240
1550	0322	"R
1551	0305	"F
1552	0324	"T
1553	0325	"U
1554	0322	"R
1555	0316	"N
1556	0240	240
1557	0313	"K
1560	0305	"F
1561	0331	"Y
1562	0215	215
1563	0212	212
1564	0301	"A
1565	0316	"N
1566	0304	"D
1567	0240	240
1570	0324	"T
1571	0325	"U
1572	0322	"R
1573	0316	"N
1574	0240	240
1575	0317	"O
1576	0316	"N
1577	0240	240
1600	0324	"T
1601	0310	"H
1602	0305	"F
1603	0240	240
1604	0314	"L
1605	0323	"S
1606	0320	"P
1607	0256	".
1610	0240	240
1611	0324	"T;
1612	0331	"Y;
1613	0320	"P;
1614	0305	"F

1615 0240
 1616 0301
 1617 0316
 1620 0331
 1621 0240
 1622 0303
 1623 0310
 1624 0301
 1625 0322
 1626 0301
 1627 0303
 1630 0324
 1631 0305
 1632 0322
 1633 0240
 1634 0301
 1635 0316
 1636 0304
 1637 0240
 1640 0311
 1641 0324
 1642 0240
 1643 0327
 1644 0311
 1645 0314
 1646 0314
 1647 0240
 1650 0302
 1651 0305
 1652 0307
 1653 0311
 1654 0316
 1655 0256
 1656 0215
 1657 0212
 1660 0314
 1661 0305
 1662 0301
 1663 0304
 1664 0305
 1665 0322
 1666 0257
 1667 0324
 1670 0322
 1671 0301
 1672 0311
 1673 0314
 1674 0305
 1675 0322
 1676 0240
 1677 0324
 1700 0301
 1701 0320
 1702 0305
 1703 0240
 1704 0327

240
 "A:
 "N:
 "Y:
 240;
 "C:
 "H:
 "A
 "R;
 "A:
 "C:
 "T:
 "F:
 "R:
 240
 "A:
 "N:
 "D:
 240;
 "I:
 "T:
 240
 "W:
 "I:
 "L:
 "L:
 240;
 "B:
 "E
 "G:
 "I:
 "N:
 ".
 215
 212
 "L
 "F
 "A
 "D
 "F
 "R
 "/"
 "T
 "R
 "A
 "I
 "L
 "F
 "R
 240
 "T
 "A
 "P
 "F
 240
 "W

1705	0311	"I
1706	0314	"L
1707	0314	"L
1710	0240	240
1711	0302	"B
1712	0305	"F
1713	0240	240
1714	0320	"P
1715	0325	"U
1716	0316	"N
1717	0303	"C
1720	0310	"H
1721	0305	"F
1722	0304	"D
1723	0240	240
1724	0301	"A
1725	0324	"T
1726	0240	240
1727	0324	"T
1730	0310	"H
1731	0305	"F
1732	0240	240
1733	0302	"B
1734	0305	"F
1735	0307	"G
1736	0311	"I
1737	0316	"N
1740	0316	"N
1741	0311	"I
1742	0316	"N
1743	0307	"G
1744	0240	240
1745	0301	"A
1746	0316	"N
1747	0304	"D
1750	0240	240
1751	0301	"A
1752	0324	"T
1753	0215	215
1754	0212	212
1755	0324	"T
1756	0310	"H
1757	0305	"F
1760	0240	240
1761	0305	"F
1762	0316	"N
1763	0304	"D
1764	0256	".
1765	0240	240
1766	0327	"W
1767	0310	"H
1770	0305	"F
1771	0316	"N
1772	0240	240
1773	0311	"I
1774	0324	"T

1775	0240	240
1776	0303	"C
1777	0317	"O
2000	0315	"M
2001	0305	"E
2002	0323	"S
2003	0240	240
2004	0301	"A
2005	0324	"T
2006	0240	240
2007	0324	"T
2010	0310	"H
2011	0305	"F
2012	0240	240
2013	0305	"E
2014	0316	"N
2015	0304	"D
2016	0254	",
2017	0240	240
2020	0324	"T
2021	0325	"U
2022	0322	"R
2023	0316	"N
2024	0240	240
2025	0317	"O
2026	0306	"F
2027	0306	"F
2030	0240	240
2031	0324	"T
2032	0310	"H
2033	0305	"E
2034	0240	240
2035	0314	"L
2036	0323	"S
2037	0320	"P
2040	0240	240
2041	0301	"A
2042	0306	"E
2043	0324	"T
2044	0305	"E
2045	0322	"R
2046	0215	215
2047	0212	212
2050	0311	"I
2051	0324	"T
2052	0240	240
2053	0323	"S
2054	0324	"T
2055	0317	"O
2056	0320	"P
2057	0323	"S
2060	0256	".
2061	0240	240:
2062	0324	"T:
2063	0331	"Y:
2064	0320	"P:

2065	0305	"F;
2066	0240	240;
2067	0301	"A
2070	0316	"N;
2071	0331	"Y;
2072	0240	240;
2073	0303	"C;
2074	0310	"H;
2075	0301	"A;
2076	0322	"R
2077	0301	"A;
2100	0303	"C;
2101	0324	"T;
2102	0305	"F;
2103	0322	"R;
2104	0240	240;
2105	0301	"A
2106	0307	"G;
2107	0301	"A;
2110	0311	"I;
2111	0316	"N;
2112	0256	".
2113	0215	215;
2114	0212	212
2115	0310	"H
2116	0317	"O
2117	0327	"W
2120	0240	240
2121	0315	"M
2122	0301	"A
2123	0316	"N
2124	0331	"Y
2125	0240	240
2126	0261	"I
2127	0257	"I
2130	0261	"I
2131	0260	"O
2132	0324	"T
2133	0310	"H
2134	0323	"S
2135	0240	240
2136	0317	"O
2137	0306	"F
2140	0240	240
2141	0311	"I
2142	0316	"N
2143	0303	"C
2144	0310	"H
2145	0305	"F
2146	0323	"S
2147	0240	240
2150	0317	"O
2151	0306	"F
2152	0240	240
2153	0314	"L
2154	0305	"F

QUES2,

STOP1,

2155	0301		"A
2156	0304		"D
2157	0305		"F
2160	0322		"R
2161	0240	STOP2,	240
2162	0324		"T
2163	0301		"A
2164	0320		"P
2165	0305		"F
2166	0240		240
2167	0304		"D
2170	0317		"O
2171	0240		240
2172	0331		"Y
2173	0317		"O
2174	0325		"U
2175	0240		240
2176	0327		"W
2177	0301		"A
2200	0316		"N
2201	0324		"T
2202	0277		"?
2203	0240		240
2204	0324	QUES3,	"T
2205	0322		"R
2206	0301		"A
2207	0311		"I
2210	0314		"L
2211	0305		"F
2212	0322		"R
2213	0324	QUES4,	"T
2214	0331		"Y
2215	0320		"P
2216	0305		"F
2217	0240		240
2220	0311		"I
2221	0316		"N
2222	0240		240
2223	0331		"Y
2224	0317		"O
2225	0325		"U
2226	0322		"R
2227	0240		240
2230	0315		"M
2231	0305		"F
2232	0323		"S
2233	0323		"S
2234	0301		"A
2235	0307		"G
2236	0305		"F
2237	0256		".
2240	0000	END,	0
0144	4000		
0145	0203		
0146	0200		
0147	7441		

0150	7540
0151	2212
0152	7753
0153	2160
0154	7755
0155	2203
0156	7771
0157	7742
0160	2114
0161	7711
0162	1375
0163	7261
0164	7447
0165	0032
0166	1343
0167	7746
0170	7146
0171	0017
0172	0334
0173	7563
0174	7401
0175	7670
0176	0212
0177	0215
↑BS	

.

A	1051	ACCEPT	0036	AMPRSD	0635	ASTRSK	0661
ATSIGN	1037	B	1056	BARROW	1333	BSLASH	1311
C	1064	CBRACK	1320	CHECK	0002	COLON	1004
COMMA	0675	COUNTR	2422	CPAREN	0654	CRLF	0024
D	1072	DOLLAR	0620	DONE	0361	DQUOTE	0604
E	1100	END	2240	EQUALS	1016	EXCLAM	0602
F	1106	FINISH	0130	G	1114	H	1122
IDONE	2423	INSTR	0032	J	1136	K	1144
VI	1130	KJ	0125	KNUM	0124	KSTORE	0034
VZ	1276	K1	0716	K2	0724	K3	0732
V4	0740	K5	0746	K6	0754	K7	0762
V8	0770	K9	0776	L	1152	LESS	1011
M	1160	MAX	0132	MINUS	0700	MORE	1024
N	1166	NO	0233	NOSIGN	0607	NTDONE	0340
NUMBER	0075	O	1174	OBRAK	1304	OPAREN	0647
P	1202	PERCNT	0626	PERIOD	0705	PLACE	0127
PLUS	0667	PUNCH	2407	Q	1210	QUES	1344
QUESTN	1031	QUES2	2115	QUES3	2204	QUES4	2213
	1216	RETURN	0126	RUBOUT	0062	S	1224
SCOLON	1006	SLASH	0707	SPACE	0600	SQUOTE	0645
SRA	6417	START	0204	STOP1	2153	STOP2	2161
STORE	0035	T	1232	TEMP	0011	TYPE	0020
U	1240	UARROW	1325	UND	6403	V	1246
W	1254	X	1262	Y	1270	YES	1376

